

Work Order ID 66584

Tuesday, February 22, 2011 11:45:16 AM



Page 1

Item ID:	D2221	Accept		Setup	Start	
Revision ID:					Stop	
Item Name:	350 Basket Base					
Start Date:	2/23/2011	Start Qty:	1.00		Cust Item ID:	
Required Date:	3/4/2011	Req'd Qty:	1.00		Customer:	
Reference:						

Approvals:	Process Plan:	<u>MF</u>	Date:	<u>11-02-22</u>	Tooling:		Date:		Run	Start	
	QC:		Date:		SPC (Y/N):		Date:			Stop	

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2221	Rev H								
100	Large Fab	0.00							
	Large Fab								
Large Fab	Memo	0.00							
	1- assemble all ribs and both D2581 in DT9444 jig, weld as per dwg D2221								
	2- remove basket from jig and weld D3442-1 shims and D2232-3 hinges as per dwg D2221								
	3- tack weld mesh on basket as per dwg D2221								
	A/R ER316 S.S. Rod Batch: <u>115928</u>								
	PLEASE NOTE								
	IF MAKING -041A OR -043A :								
	DRILL HOLES FOR GAS SPRING								
	IN D3825-041 AS PER								
	DSI 9473								
110	QC9- Inspect visual per QSI004- Fusion Welds	0.00							
	QC								
Quality Control	Memo	0.00							

PL 11.03.02

PL 11.03.08

11.03.08

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 66584

Tuesday, February 22, 2011 11:45:16 AM

Page 2

Item ID: D2221

Accept

Setup Start

Revision ID:

Stop

Item Name: 350 Basket Base

Start Date: 2/23/2011 Start Qty: 1.00

Cust Item ID:

Required Date: 3/4/2011 Req'd Qty: 1.00

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC6- Inspect dimensions to drawing

0.00



QC

Memo

0.00

S u o s l o g

Quality Control

76

125

Pressure Wash per QSI005 4.3

0.00



HandFinish

Memo

0.00

Hand Finishing

1 BR 11-8-8.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 66584

Tuesday, February 22, 2011 11:45:16 AM



Page 3

Item ID:	D2221	Accept		Setup	Start	
Revision ID:					Stop	
Item Name:	350 Basket Base					
Start Date:	2/23/2011	Start Qty:	1.00		Cust Item ID:	
Required Date:	3/4/2011	Req'd Qty:	1.00		Customer:	
Reference:						

Approvals:	Process Plan:	Date:	Tooling:	Date:	Run	Start	
	QC:	Date:	SPC (Y/N):	Date:		Stop	

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 	White Gloss(Ref:4.3.5.2) per QSI005 4.3-Steel <i>M115951</i>	0.00							
Powdercoat	Memo	0.00							
Powder Coating	I- Plug holes prior to 1ST COAT: START TIME: <i>2:45</i> OVEN TEMPERATURE: <i>400°</i> FINISH TIME: <i>3:15</i> ***** 2nd coat if necessary ***** 2ND COAT: START TIME: _____ OVEN TEMPERATURE: _____ FINISH TIME: _____								
140 	QC3- Inspect Part Finish	0.00							
QC	Memo	0.00							
Quality Control									

EF 11/03/09 @

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries



Work Order ID 66584

Tuesday, February 22, 2011 11:45:16 AM

Page 4

Item ID:	D2221	Accept		Setup	Start	
Revision ID:					Stop	
Item Name:	350 Basket Base					
Start Date:	2/23/2011	Start Qty:	1.00		Cust Item ID:	
Required Date:	3/4/2011	Req'd Qty:	1.00		Customer:	
Reference:						

Approvals:	Process Plan:	Date:	Tooling:	Date:	Run	Start	
	QC:	Date:	SPC (Y/N):	Date:		Stop	

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150  Packaging Packaging	Identify as per dwg & Stock Location: <i>G-A</i> <i>w/666579</i> Memo	0.00 0.00							<i>E/Su/03/020</i>
160  QC Quality Control	<i>QC</i> QC21- Final Inspection - Work Order Release Memo	0.00 0.00							<i>11/3/10</i> <i>11-03-9</i>

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Page 1

Tuesday, February 22, 2011 11:45:13 AM

Work Order ID: 66584

Parent Item: D2221

Parent Item Name: 350 Basket Base




Start Date: 2/23/2011

Required Date: 3/4/2011

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:J 05.09.02 Added D3442-1 □KJ/JLM
 IPP Rev:K 08-08-29 revG as per dwg DD verified by:EC
 IPP Rev:L 08-09-24 plug holes prior to powder coat DD verified by:EC
 IPP Rev:M 08-12-02 revH as per dwg DD verified by:EC IPP Rev:N
 10.06.29 added pressure wash DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2221-1  Rib		Manufactured	No			100	Each	11.0000	1	1			
<div> <div>Location</div> <div>Loc Qty</div> <div>Loc Code</div> </div>													
<div> <div>WA</div> <div>11</div> <div></div> </div>													
<div> <div>63628</div> <div>2</div> <div></div> </div>													
<div> <div>64651</div> <div>9</div> <div></div> </div>													
D2221-5  Rib		Manufactured	No			100	Each	6.0000	2	2			
<div> <div>Location</div> <div>Loc Qty</div> <div>Loc Code</div> </div>													
<div> <div>WA</div> <div>6</div> <div></div> </div>													
<div> <div>64652</div> <div>6</div> <div></div> </div>													
D2221-7  Rib		Manufactured	No			100	Each	3.0000	1	1			
<div> <div>Location</div> <div>Loc Qty</div> <div>Loc Code</div> </div>													
<div> <div>WA</div> <div>3</div> <div></div> </div>													
<div> <div>64653</div> <div>3</div> <div></div> </div>													

4

Pl 11.03.02

①

Pl 11.03.02

②

Pl 11.03.02

①

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Tuesday, February 22, 2011 11:45:13 AM

Page 2

Work Order ID: 66584



Parent Item: D2221



Parent Item Name: 350 Basket Base

Start Date: 2/23/2011

Required Date: 3/4/2011

Start Qty: 1.00

Required Qty: 1.00

D2232-3



Basket Hinge

Manufactured No

100 Each

8.0000

2 2



PCL 11.03.02

Location

Loc Qty

Loc Code

WA

8

64578

2

65418

6

(2)

D2235-1



Basket Rib

Manufactured No

100 Each

6.0000

2 2



PCL 11.03.02

Location

Loc Qty

Loc Code

WA

6

64626

2

64898

4

(2)

D2581



Mounting Bracket

Manufactured No

100 Each

24.0000

2 2



PCL 11.03.02

Location

Loc Qty

Loc Code

WA

24

64112

1

65950

23

(2)

D3442-1



Shim

Manufactured No

100 Each

25.0000

2 2



PCL 11.03.02

Location

Loc Qty

Loc Code

ST

10

64271

10

WA

15

65783

15

(2)

Tuesday, February 22, 2011 11:45:13 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Tuesday, February 22, 2011 11:45:13 AM

Work Order ID: 66584



Parent Item: D2221



Parent Item Name: 350 Basket Base

Start Date: 2/23/2011

Required Date: 3/4/2011

Start Qty: 1.00

Required Qty: 1.00

D3825-041



Rib Assembly (Basket End)

Manufactured No

100

Each

2.0000

2

2
PCL 11.03.02LocationLoc QtyLoc Code

WA

2

64577

2

②

D3826-041



Rib / Gusset Assembly

Manufactured No

100

Each

8.0000

2

2
PCL 11.03.02LocationLoc QtyLoc Code

WA

8

64690

2

65420

6

②

D3827-041



Rib Assembly (Inboard)

Manufactured No

100

Each

10.0000

1

1
PCL 11.03.02LocationLoc QtyLoc Code

WA

10

64857

4

65485

6

①

D3832-1



Mesh (Base)

Manufactured No

100

Each

3.0000

1

1
PCL 11.03.05LocationLoc QtyLoc Code

WA

3

65313

3

①

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Tuesday, February 22, 2011 11:45:13 AM

Page 4

Work Order ID: 66584



Parent Item: D2221



Parent Item Name: 350 Basket Base

Start Date: 2/23/2011

Required Date: 3/4/2011

Start Qty: 1.00

Required Qty: 1.00

D3833-1

Manufactured No

100

Each

18.0000

2

2



Handwritten: 2/23/11 03.05

Mesh (Base End Face)

Location

Loc Qty

Loc Code

WA

18

64246

2

64891

8

65937

8

Handwritten: 5

Tuesday, February 22, 2011 11:45:13 AM

Shop Packet Print

Page 4


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D2221 BASKET BASE ASSEMBLY (AS350)
(MESH SHOWN LOCALLY FOR CLARITY)

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT GLOSS WHITE (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 8) WEIGHT: 42.00 lbs APPROX
- 9) MASK ALL HOLES PRIOR TO POWDER COATING



ITEM	QTY	P/N	DESCRIPTION
1	X	D2221	BASKET BASE ASSEMBLY (AS350)
2	1	D2221-1	RIB
3	2	D2221-5	RIB
4	1	D2221-7	RIB
5	2	D2232-3	BASKET HINGE
6	2	D2235-1	RIB
7	2	D2581	MOUNTING BRACKET
8	2	D3442-1	SHIM
9	2	D3825-041	RIB ASSY (BASKET END)
10	2	D3826-041	RIB/GUSSET ASSY
11	1	D3827-041	RIB ASSY (INBOARD)
12	2	D3833-1	MESH, BASE END FACE
13	1	D3832-1	MESH (BASE)

#66554
RELEASED
08/11/18

H	REVISED PARTS LIST AND ADDED "ITEM" COLUMN TO PARTS LIST (ZN D3-1); REVISED SECTIONS A-A, B-B AND C-C (ZN C6-3, C2-3 AND A6-3); REVISED DETAIL D (ZN B7-4); ADDED DETAIL E (ZN A6-4); ADDED SECTION F-F (ZN B2-4); ADDED DWG DETAILS FOR D2221-1/S-7 (SHEET 5); TOL REVISED TO 2 DEC PLACES (ZN D8-3 AND ZN B4-3); D3825-041 REPLACES D2221-3/D2327-3; D3826-041 REPLACES D2235-1/D2325; D3827-041 REPLACES D2221-1 ON INBOARD SIDE; ADDED D3832-1 AND D3833-1. REASON: SATISFY "LEAN MANUFACTURING" PROGRAM.	MB	08.09.18
G	MATERIAL FOR -1, -3, -5 & -7 WAS 0.060 WALL; TOLERANCE FOR 96.00 DIM WAS +/-0.01 AND 56.00 DIM WAS REF (ZN B5-2); 19.62 DIM WAS "HARD" DIMENSION IS NOW "REF" (ZN B4-2); NOTE 5 TRANSFERRED FROM SHT 1 TO SHT 2; SHT 2 MESH MATERIAL UPDATED; DRAWING TRANSFERRED TO "B" FORMAT	AJS	08.06.16
F	ADD SHIM UNDER HINGE; ADD HOLES FOR SPLIT LID BASKET	PH	05.06.07
E	CHANGE HINGE	CP	01.04.19
D	CHANGE LATCH	BW	96.06.21
C	SEPARATE BASKET AND LID	KH	95.11.21
REV.	DESCRIPTION	BY	DATE
DESIGN	BW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JS		
CHECKED	JS	DRAWING NO.	REV. H
MFG. APPR.	JS	D2221	SHEET 1 OF 5
APPROVED	JS	TITLE	SCALE
DE APPR.	JS	BASKET BASE ASSEMBLY (350)	NTS
DATE	08.09.18	<small>COPYRIGHT © 1994 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON, WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D2221 BASKET BASE ASSEMBLY (350)
(MESH SHOWN LOCALLY FOR CLARITY)

RELEASED
06/11/18

DESIGN	BW	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. H
MFG. APPR.		D2221	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BASKET BASE ASSEMBLY (350) NTS	
DATE	08.09.18	COPYRIGHT © 1994 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



66584

RELEASED
02/11/16

DESIGN	BW	DART AEROSPACE LTD	
DRAWN	2	HAWKESBURY, ONTARIO, CANADA	
CHECKED	255	DRAWING NO.	REV. H
MFG. APPR.	1/1	D2221	SHEET 3 OF 5
APPROVED	1/1	TITLE	SCALE
DE APPR.	1/1	BASKET BASE ASSEMBLY (350) NTS	
DATE	08.09.18	COPYRIGHT © 1994 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN	BW	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. H
MFG. APPR.		D2221	SHEET 4 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BASKET BASE ASSEMBLY (350) NTS	
DATE	08.09.18	COPYRIGHT © 1994 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			





W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



#66584

RELEASED
08/10/18/19

- NOTES:
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SQUARE TUBE, 0.75 X 0.75 X 0.065 WALL
REF. DART SPEC. M304TS0.750W0.065
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 8) WEIGHT: D2221-1 = 4.57 lbs; D2221-5 = 0.90 lbs; D2221-7 2.65 = lbs

DESIGN	BW	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D2221	REV. H
MFG. APPR.		TITLE	SHEET 5 OF 5
APPROVED		BASKET BASE ASSEMBLY (350)	SCALE NTS
DE APPR.		COPYRIGHT © 1994 BY DART AEROSPACE LTD	
DATE	08.09.18	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries